

TECHNICAL DATA SHEET



PETROL MULTIFUNCTION TREATMENT

- PRODUCT DESCRIPTION

Petronas Durance MULTIFUNCTION COMPLETE TREATMENT is an additive for petrol that helps extend an engine useful life; it improves efficiency, reduces fuel consumption and reduces polluting emissions.

The product exerts a detergent action in the combustion chamber and throughout the entire fuel system.

For leaded and unleaded petrol.

It eliminates ignition problems and improves engine performance; consumption is reduced, power remains unaltered, the exhaust is cleaned.

- It ensures cleanliness and the absence of carbon deposits in the carburetors, injectors, valves and the entire fuel system in general.
- It improves combustion.
- Cleaner exhaust gases.
- It prevents corrosion.
- Excellent water tolerance properties.
- Chlorine free.
- It prevents the formation of deposits on the exhaust valves.
- It preserves the efficiency of the fuel system.

- FIELDS OF USE

For all engines fueled with petrol.

- TECHNICAL SPECIFICATIONS

•	Appearance	Liquid
•	Color	Straw-yellow
•	Odor	Typical
•	Density at 15°C ASTM D1298	0.867 g/ml
•	Viscosity at 40°C ASTM D445	$10 \text{ mm}^2/\text{s}$
•	Flash Point	110°C

- METHOD OF USE

Pour the product directly into the tank after refueling. To maintain the product performance specifications, repeat the treatment about every 2000 km.

- DOSAGE

250 ml package are sufficient for the treatment of 50 liters of petrol.

- STORAGE

Unopened and stored at room temperature away from direct sunlight, for at least 3 years.

- PACKAGING

PVC bottle 250 ml

Product code: 9074 – 1D489074 Languages on label: EN/DE/FR

- NOTES

For information on product safety, please consult Material Safety Data Sheet.

T.S.05.07.2019

The data contained herein are the result of technological research by our laboratories and are given for informative purposes only. We exclude any liability deriving from the incorrect choice or application of the product and from the lack of the necessary precautions, which should be carefully checked by the user.