Revision Date: 16/7/2024 version 2



## SECTION 1: IDENTIFICATION OF THE HAZARDOUS CHEMICAL AND OF THE SUPPLIER

1.1. PRODUCT IDENTIFIER

MIXTURE IDENTIFICATION: TRADE NAME: **PETRONAS Urania 800 20W-40** Trade code: 71632

## 1.2. RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE

RECOMMENDED USE: Engine oil. USES ADVISED AGAINST: This product should not be used for other purposes than those specified without the advice of an expert.

## 1.3. DETAILS OF THE SUPPLIER

COMPANY: PETRONAS LUBRICANTS INDIA (Pvt) Limited. Unit No. 603, C Wing, Corporate Avenue, Opp. Solitaire Corporate Park, Chakala, Andheri (East), Mumbai – 400 093 Contact: +91 22 6771 7500, FAX: +91 226725 7457

COMPETENT PERSON FOR SAFETY DATA OF PRODUCT: Information on the legislation compliance info-regulation.eu@pli-petronas.com (english)

## 1.4. EMERGENCY PHONE NUMBER

Emergency Answer Service (24h/7d) : +65 3158 1198 000 800 100 7479 (access from India only)

## SECTION 2: HAZARD IDENTIFICATION

## 2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

The product is not classified as dangerous according to GHS. ADVERSE PHYSICOCHEMICAL, HUMAN HEALTH AND ENVIRONMENTAL EFFECTS: No other hazards

## 2.2. LABEL ELEMENTS

The product is not classified as dangerous according to GHS.

Revision Date: version 2



## 2.3. OTHER HAZARDS WHICH DO NOT RESULT IN A CLASSIFICATION

No other hazards

## SECTION 3: COMPOSITION & INFORMATION OF THE INGREDIENTS OF THE HAZARDOUS CHEMICAL

## 3.1. SUBSTANCES

N.A.

## 3.2. MIXTURES

Severely refined mineral and/or synthetic oils, additives.

Hazardous components within the meaning of the "GHS" regulation and related classification:

QTY	NAME	IDENT. NUMB.	CLASSIFICATION	REGISTRATION NUMBER
1.0-<1.5 %	Phosphorodithioic acid, mixed O,O-bis (1,3- dimethylbutyl and iso-Pr) esters, zinc salts	29-8	Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Acute 2, H401; Aquatic Chronic 2, H411	01-2119493626-26- XXXX

3.0-<4.0 Not classified oils %

(\*\*) Contains one or more among the following: CAS:64742-65-0; 64742-54-7; 64742-55-8; 101316-72-7; 72623-87-1; 64741-89-5 / EC: 265-169-7; 265-157-1; 265-158-7; 309-877-7; 276-738-4; 265-091-3 / Registration numbers: 01-2119471299-27-XXXX; 01-2119484627-25-XXXX; 01-2119487077-29-XXXX; 01-2119489969-06-XXXX; 01-2119474889-13-XXXX; 01-2119487067-30-XXXX

H-phrases and list of abbreviations: see heading 16.

## SECTION 4: FIRST-AID MEASURES

## 4.1. DESCRIPTION OF NECESSARY FIRST-AID MEASURES

IN CASE OF INGESTION:

Do not induce vomiting to avoid aspiration into the respiratory tracts. Wash out thoroughly the mouth with water. Obtain immediate medical attention.

IN CASE OF EYES CONTACT:

Rinse thoroughly with plenty of water for at least 10 minutes keeping eyelids open. Remove contact lenses if this can be done easily. Obtain medical attention in case of development and persistence of pain and redness. In case of contact with hot product, rinse thoroughly with plenty of water to dissipate heat. Obtain immediate medical attention to assess eye conditions and the correct treatment to be practiced. IN CASE OF SKIN CONTACT:

Remove contaminated clothes and shoes and rinse thoroughly with plenty of water and soap. IN CASE OF INHALATION:

Expose affected person to fresh air and obtain medical attention if necessary.

## 4.2. MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED

Revision Date: version 2



Refer to section 11.

4.3. INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY

Refer to section 4.1.

## SECTION 5: FIRE-FIGHTING MEASURES

## 5.1. EXTINGUISHING MEDIA

This product has no special fire risk. In case of fire use foam, carbon dioxide, dry chemical powder and water mist.

Cool down with water the containers don't get involved in fire to avoid their possible explosion. Avoid high pressure water jet. Use water jet only to cool down surfaces exposed to fire. SUITABLE EXTINGUISHING MEDIA: Water.

Carbon dioxide (CO2). UNSUITABLE EXTINGUISHING MEDIA: None in particular.

## 5.2. SPECIAL HAZARDS ARISING FROM THE CHEMICAL

Don't breathe combustion fumes: fire can form harmful compounds. Do not inhale explosion and combustion gases. Burning produces heavy smoke. HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, compounds of sulphur, phosphorus, nitrogen and products of incomplete combustion.

## 5.3. SPECIAL PROTECTIVE ACTIONS FOR FIRE-FIGHTERS

Use suitable breathing apparatus .

Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Avoid ingestion of product. Avoid contact with skin and eyes by wearing appropriate protective clothing. Avoid to breathe fumes and aereosols.

Surfaces on which the product has been spilled may become slippery.

Wear personal protection equipment.

See protective measures under point 7 and 8.

## 6.2. ENVIRONMENTAL PRECAUTIONS

Revision Date: version 2



Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

## 6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Avoid flame and/or spark near leak and produced waste. Do not smoke. In case of large spills dike, absorb and shovel up into suitable containers for disposal. Contain small spills with absorbent material. Put dirty material in suitable container. Dispose of dirty material in accordance with local or national regulations.

See also section 8 and 13

## SECTION 7: HANDLING AND STORAGE

## 7.1. PRECAUTIONS FOR SAFE HANDLING

Avoid ingestion. Avoid frequent and prolonged skin contact and contact with eyes. Provide adequate ventilation to avoid mist or aereosol. Don't smoke or use spare flames; avoid contact with spark or other sources of ignition. Don't work near open container to avoid high concentration of vapours. Don't eat or drink during use.

## 7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Store under cover in the original container securely closed away from heat and sources of ignition. Do not store in the open air. Assure a correct ventilation of premises and the control of possible leak. Keep out of flame or spark and avoid the accumulation of electrostatic charges. Keep out of reach of children and away from food and drink.

Storage class (TRGS 510, Germany): 9 Refer to the uses listed in Section 1.2.

## SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

## 8.1. CONTROL PARAMETERS

OEL: oil mists - TLV/TWA (8 h) : 5 mg/m3 - TLV/STEL: 10 mg/m3

Predicted No Effect Concentration (PNEC) values

0.004 Fresh Water

PNEC EXPOSURE EXPOSURE REMARK LIMIT ROUTE FREQUENCY

Phosphorodithioic 0.004 acid, mixed 0,0-bis mg/l (1,3-dimethylbutyl and iso-Pr) esters, zinc salts CAS: 84605-29-8

Revision Date: 16/7/2024 version 2



0.005 Soil mg/l (agricultural) 0.055 Marine water mg/kg sediments

Derived No Effect Level (DNEL) values

WOR WOR CONS EXPOSU EXPOSURE REMARK KER KER UMER RE FREQUENCY **INDU PROF** ROUTE STRY ESSI ONAL Phosphorodithioi 12.1 Human Long Term, c acid, mixed mg/kg Dermal systemic effects 0,0-bis (1,3dimethylbutyl and iso-Pr) esters, zinc salts CAS: 84605-29-8.31 Human Long Term, mg/kg Inhalatio systemic effects

n

8.2. INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT (PPE)

**TECHNICAL PRECAUTIONS:** 

8

Avoid production and diffusion of mist and aerosol with utilization of localized ventilation/aspiration or other required precautions. Adopt all required precaution to avoid product immission in environment (e.g., blasting systems, catch basins, ...).

**RESPIRATORY PROTECTION:** 

None required under normal conditions of use. Use approved full face respirator with organic vapour filter cartridge if the recommended exposure limits are exceeded.

EYE PROTECTION:

Chemical goggles and face shield in case of oil splashes.

**PROTECTION FOR HANDS:** 

Wear suitable gloves (i.e. neoprene, nitrile). Gloves should be changed when they show wear. The kind of gloves and the term of use must be decided from employer with regard to processing and to allow for DPI legislation and glove producer's indications. Wear gloves only with clean hands.

**PROTECTION FOR SKIN:** 

Wear suitable protective clothing (for further information, refer to CEN-EN 14605); change it immediately in case of large contamination and wash it before subsequent use.

Practice reasonable personal cleanliness.

ENVIRONMENTAL EXPOSURE CONTROLS:

Refer to technical precautions and also to sections 6.2, 6.3, 7.2, 12 and 13.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Revision Date: 16/7/2024 version 2



CHEMICAL-PHYSICAL PROPERTY PHYSICAL STATE APPEARANCE AND COLOUR: ODOUR: ODOUR THRESHOLD: PH: MELTING POINT / FREEZING POINT: INITIAL BOILING POINT AND BOILING RANGE: FLASH POINT: EVAPORATION RATE: UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: VAPOUR DENSITY:	VALUE LIQUID VISCOUS AMBER NOT RELEVANT N.A. N.A. > 300 °C (572 °F) 236 °C (457 °F) N.A. N.A. N.A.	<b>METHOD</b> ( ASTM D2887 ) ( ASTM D92 )
VAPOUR PRESSURE: DENSITY SOLUBILITY IN WATER: SOLUBILITY IN OIL: PARTITION COEFFICIENT (N-OCTANOL/WATER): AUTO-IGNITION TEMPERATURE: DECOMPOSITION TEMPERATURE: KINEMATIC VISCOSITY AT 100°C KINEMATIC VISCOSITY AT 40°C EXPLOSIVE PROPERTIES OXIDIZING PROPERTIES FLAMMABILITY (SOLID, GAS)	N.A. 0.8869 g/cm3 IMMISCIBLE N.A. N.A. N.A. 14.27 cSt 128.1 cSt N.A. N.A. N.A. N.A.	( ASTM D4052 ) ( ASTM D445 ) ( ASTM D445 )

## SECTION 10: STABILITY AND REACTIVITY

## 10.1. REACTIVITY

Read carefully all information provided in other sections of heading 10.

## 10.2. CHEMICAL STABILITY

The product is stable under normal conditions of use.

## **10.3. POSSIBILITY OF HAZARDOUS REACTIONS**

Not expected under normal conditions of use.

## 10.4. CONDITIONS TO AVOID

This product must be kept far from heat sources. In any case, avoid exposing product to temperatures above the flash point.

## 10.5. INCOMPATIBLE MATERIALS

Revision Date: 16/7/2024 version 2



Strong oxidizing agents, hard acids and bases.

## 10.6. HAZARDOUS DECOMPOSITION PRODUCTS

Oxides of carbon, compounds of sulphur, phosphorus, nitrogen and hydrogen sulfide.

## SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

## ACUTE TOXICITY:

This product is not classified in this hazard class.

Unlike to cause harm if accidentally swallowed in small doses, though ingestion of large quantities may cause gastro-intestinal effects.

### SKIN CORROSION OR IRRITATION:

This product is not classified in this hazard class, but prolonged or repeated skin contact sometimes may cause irritations and dermatitis.

## SERIOUS EYE DAMAGE OR EYE IRRITATION:

This product is not classified in this hazard class, but direct contact may cause slight irritations.

## RESPIRATORY SENSITIZATION:

This product is not classified in this hazard class.

## SKIN SENSITIZATION: This product is not classified in this hazard class.

## GERM CELL MUTAGENICITY:

Based on the available data, the product is not classified under this hazard class.

CARCINOGENICITY:

Based on the available data, the product is not classified under this hazard class.

#### **REPRODUCTIVE TOXICITY:**

Based on the available data, the product is not classified under this hazard class.

## SPECIFIC TARGET ORGAN TOXICITY (STOT) - SINGLE EXPOSURE:

This product is not classified in this hazard class, but inhalation of mists and vapours generated at elevated temperatures sometimes may cause respiratory irritation.

SPECIFIC TARGET ORGAN TOXICITY (STOT) – REPEATED EXPOSURE: This product is not classified in this hazard class.

#### ASPIRATION HAZARD:

This product is not classified in this hazard class.

Revision Date: version 2



Toxicological information on No dat main components of the mixture:

No data available

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1. TOXICITY

Eco-Toxicological Information:

This product is not classified dangerous for the environment.

List of Eco-Toxicological properties of the components

COMPONENT	IDENT. NUMB.	ΕCOTOX DATA	
Phosphorodithioic acid, mixed O,O-bis (1,3- dimethylbutyl and iso-Pr) esters, zinc salts	CAS: 84605- 29-8 - EINECS: 283- 392-8	a) Aquatic acute toxicity :	LC50 Fish 4.5 mg/L 96h
		a) Aquatic acute toxicity :	EC50 Daphnia 23 mg/L 48h
		a) Aquatic acute toxicity :	NOEC Daphnia Daphnia magna 0.4

mg/L for 21d

## 12.2. PERSISTENCE AND DEGRADABILITY

Data on biodegradability of product are not available.

## 12.3. BIOACCUMULATIVE POTENTIAL

#### Not available.

no data available

## 12.4. MOBILITY IN SOIL

As the dispersion in the environment may result in contamination of environmental matrix (soil, subsoil, surface water and groundwater), do not release in the environment

no data available

## 12.5. OTHER ADVERSE EFFECTS

vPvB substances: None - PBT substances: None

This material contains one or more components that have a branched alkylphenol impurity, highly toxic to aquatic organisms. The components containing the impurity have been tested and they are not toxic to aquatic organisms. Therefore, the alkylphenol impurity should not be used in the summation approach to classify the product for aquatic toxicity.

Revision Date: version 2 16/7/2024



## SECTION 13: DISPOSAL CONSIDERATIONS

## 13.1. DISPOSAL METHODS

Prevent contamination of soil, drains and surface waters. Do not discharge in sewers, tunnels or water courses. Dispose in accordance with local or national regulations via authorised person/licensed waste disposal contractor.

The used product is to be considered a special waste to be classified in accordance to Directive 2008/98/EC on wastes and related legislation.

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

## SECTION 14: TRANSPORT INFORMATION

14.1. UN NUMBER

N/A

14.2. UN PROPER SHIPPING NAME

ADR-Shipping Name: N/A IATA-Technical name: N/A IMDG-Technical name: N/A

## 14.3. TRANSPORT HAZARD CLASS(ES)

ADR-Class:	N/A
IATA-Class:	N/A
IMDG-Class:	N/A

## 14.4. PACKING GROUP, IF APPLICABLE

ADR-Packing Group:	N/A
IATA-Packing group:	N/A
IMDG-Packing group:	N/A

#### 14.5. ENVIRONMENTAL HAZARDS

Toxic Ingredients Qty:0.00High Toxicity Ingredients Qty:0.00Marine pollutant:NoEnvironmental Pollutant:N.A.

14.6. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 AND THE IBC CODE

Revision Date: 16/7/2024 version 2

N.A.



14.7. SPECIAL PRECAUTIONS FOR USER Road and Rail ( ADR-RID ) : ADR-Label: N/A ADR - Hazard identification number: N/A ADR-Transport category (Tunnel restriction code): N/A Air (IATA): IATA-Passenger Aircraft: N/A IATA-Cargo Aircraft: N/A IATA-Label: N/A IATA-Subsidiary hazards: N/A IATA-Erg: N/A **IATA-Special Provisioning:** N/A Sea ( IMDG ) : IMDG-Stowage Code: N/A IMDG-Stowage Note: N/A IMDG-Subsidiary hazards: N/A **IMDG-Special Provisioning:** N/A IMDG-Page: N/A IMDG-Label: N/A IMDG-EMS: N/A IMDG-MFAG: N/A

## SECTION 15: REGULATORY INFORMATION

## 15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE PRODUCT IN QUESTION

Globally Harmonized System of Classification and Labeling of Chemicals (GHS), Rev. 4th Regulation (EC) No 1272/2008, with all National and European related legislations, on classification, labelling and packaging of substances and mixtures (CLP) Regulation (EC) No 1907/2006, with all National and European related legislations, concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) Manufacture, Storage and Import of Hazardous Chemical Rules, 1989, as amended on 2000 (MSIHC) Hazardous Substances (Classification, Packaging and Labelling) Rules, 2011 Ozone Depleting Substance (R&C) Rules, 2000

## SECTION 16: OTHER INFORMATION

The mineral base oils contained in this product are severely refined and are therefore not to be considered as carcinogen. They contain less than 3% DMSO extract according to IP 346 method ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London).

Revision Date: version 2



This document was prepared by a competent person who has received appropriate training. This product must not be used in applications other than recommended without first seeking the advice of the Technical Department.

Date of first edition: 23/07/2020

Revision Date:: 16/07/2024 - version 2

16/7/2024

This SDS cancels and replaces any preceding release.

This product must be stored, handled and used according to correct industrial hygienic practices and in compliance with laws in force.

The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It should not therefore be considered as any guarantee of specific properties.

Caption about heading 3 and H-statements:

CODE	DESCRIPTION		
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H401	Toxic to aquatic life		
H411	Toxic to aquatic life with long lasting effects.		
CODE	HAZARD CLASS AND HAZARD CATEGORY	DESCRIPTION	
3.2/2	Skin Irrit. 2	Skin irritation, Category 2	
3.3/1	Eye Dam. 1	Serious eye damage, Category 1	
-	Aquatic Acute 2 Aquatic Chronic 2	Short-term (acute) aquatic hazard - Category 2 Long-term (chronic) aquatic hazard - Category 2	

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

**BEI:** Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

16/7/2024

Revision Date: version 2



DNEL: Derived No Effect Level. **DPD:** Dangerous Preparations Directive **DSD:** Dangerous Substances Directive EC50: Half Maximal Effective Concentration ECHA: European Chemicals Agency EINECS: European Inventory of Existing Commercial Chemical Substances. ES: Exposure Scenario GefStoffVO: Ordinance on Hazardous Substances, Germany. GHS: Globally Harmonized System of Classification and Labeling of Chemicals. IARC: International Agency for Research on Cancer IATA: International Air Transport Association. IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA). IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization. ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO). IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients. IRCCS: Scientific Institute for Research, Hospitalization and Health Care KAFH: Keep away from heat KSt: Explosion coefficient. LC50: Lethal concentration, for 50 percent of test population. LD50: Lethal dose, for 50 percent of test population. LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable N/D: Not defined/ Not available NA: Not available NIOSH: National Institute for Occupational Safety and Health NOAEL: No Observed Adverse Effect Level OSHA: Occupational Safety and Health Administration. PBT: Persistent, Bioaccumulative and Toxic PGK: Packaging Instruction PNEC: Predicted No Effect Concentration. **PSG:** Passengers RID: Regulation Concerning the International Transport of Dangerous Goods by Rail. STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. TLV: Threshold Limiting Value. TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard). vPvB: Very Persistent, Very Bioaccumulative. WGK: German Water Hazard Class. Paragraphs modified from the previous revision: - SECTION 1: Identification of the substance/mixture and of the company/undertaking - SECTION 2: Hazards identification - SECTION 3: Composition/information on

Page 12 of 13

ingredients

Revision Date: version 2



- SECTION 7: Handling and storage

- SECTION 8: Exposure controls/personal protection

- SECTION 12: Ecological information

- SECTION 14: Transport information

- SECTION 16: Other information